

FLOORTEC R 670

# Comfortable sweeping of large areas or narrow spaces







The steering wheel adjusts to fit the operator



- Service stations
- Sports centres
- Parking lots
- Factories

- Agricultures
- Warehouses
- Machine pools

# Dust-free sweeping

Riding the FLOORTEC R 670 you get the job done quickly, effectively and with maximum driver comfort.

Compact design is combined with a powerful engine, a wide 1260 mm sweeping path, excellent manoeuvrability and a ramp climbing capacity of up to 20%. This allows you to cover large areas of floors.

The FLOORTEC R 670 is also a robust sweeper designed to withstand tough working conditions – indoors or outside.

Typical applications include large sized service stations, parking lots, agriculture, machine pools, sports centres, factories and warehouses.

Perfect ergonomics, user-friendly operation and low maintenance costs are among other significant advantages. FLOORTEC R 670 means dust-free and trouble-free sweeping – 365 days a year.

## High productivity

- Powerful vacuum motor and large 4.3m<sup>2</sup> filter, for continuous dust free sweeping
- Wide 1260 mm sweeping path with two side brooms
- Driver ergonomics and excellent turning radius - for optimum work flow
- Excellent ramp climbing – up to 20%
- Quick and easy change of filters, main and side brooms without using tools
- Electrical filter shaker – easy filter cleaning
- Flap lifting for sweeping large debris
- Enter the sweeper from either right or left side
- Battery level indicator tells the operator when it is time for recharging

## Driver comfort

- Adjustable seat to accommodate all drivers – maximum driver comfort
- Steering wheel adjustable to fit the operator
- User-friendly control panel – clear and easy to read
- Low-noise sweeping – pleasant work environment
- Ergonomic foot pedal with forward/reverse switch on control panel

## Long life – low maintenance costs


- Strong corrosion proof metal frame and durable polyethylene material – robust long-life investment
- Easy access to all components - easy inspection and maintenance
- Thermal switches protect drive and main broom motor - reduces maintenance cost

## Large capacity

- Extra large hopper capacity
- Over-throw system fills the hopper from above providing extra capacity

## Optimum safety

- Low voltage cut-off system protects and prolongs battery life.
- Reverse alarm, flashing light (optional)
- Seat switch and additional emergency stop makes the machine very safe
- Wet sweep by-pass for sweeping in wet areas
- Parking break – for safe parking on slopes





# Standard or extra – made to meet your needs

## Options

- Selection of different batteries – wet or dry
- Normal or on-board charger – for charging anywhere, anytime
- Different main and side brooms, steel, natural fibre, nylon – easy change for different applications or floors
- Paper or polyester filters – polyester filters tolerate wet sweeping
- Working lights and flashing warning lights
- Carpet cleaning kit including: main and side broom in natural fibre, non-marking skirts and pre-filter for light dust separation
- Mini container kit
- Side broom protection
- Non marking wheels for sensitive floors

## TECHNICAL SPECIFICATIONS

Description	FLOORTEC R 670 B OBC	FLOORTEC R 670 P
Item no.	9084315010	9084316010
Side broom diameter (mm)	420	420
Main broom (mm)	700x300	700x300
Working width w/2 side brooms (mm)	1260	1260
Hopper volume (l)	70	70
Filter area (m <sup>2</sup> )	4.3	4.3
Power source	Battery 24 V	Petrol
Working speed (km/h)	5	5
Max climbing rate (%)	20	20
Productivity 2 side brooms theoretical/actual (m <sup>2</sup> /h)	6300/4410	6300/4410
Productivity main broom theoretical/actual (m <sup>2</sup> /h)	3500/2450	3500/2450
Min. turn-around aisle width (cm)	236	236
Dimensions L x W x H (mm)	1480 x 930 x 1220	1480 x 930 x 1220
Weight (kg)	511	511
<b>Features:</b>		
Adjustable steering and seat	•	•
Electrical filter shaker	•	•
Hour Meter	•	•
Back up warning alarm	•	•
Key switch	•	•
Parking brake	•	•
Wet sweep by-pass	•	•
<b>Standard equipment:</b>		
Charger batt. on-board 24 V 25 A 230 V kit	146 2052 000	1465215000
Broom main 300x700 Chevr. 6P PPL 0.5-0.7	145 4879 000	145 4879 000
Broom side 180x400 mix steel	1466140000	1466140000
Broom left side mix steel kit	1463970000	1463970000
Filter paper panel	1463523000	1463523000



## Nilfisk A/S

Kornmarksvej 1 · DK-2605 Brøndby · Denmark  
 Tel.: +45 43 23 81 00 · Fax: +45 43 43 77 00  
 mail.com@nilfisk.com  
 www.nilfisk.com

